Printing date 15.12.2023





SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- Trade name: FORMULA 4T SAE 10W/40 JASO MA2
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Only for proper handling. Engine oil
- · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier:

MOTOREX AG Bern-Zürich-Strasse 31, Postfach CH-4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

· Further information obtainable from: msds@motorex.com

· 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

	Mineral oils (mixture)	≥10-≤25%
	Asp. Tox. 1, H304	
CAS: 72623-87-1 EINECS: 276-738-4 Index number: 649-483-00-5 Reg.nr.: 01-2119474889-13	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Asp. Tox. 1, H304	5-10%

· Additional information:

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346. For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 2)

Printing date 15.12.2023

Version number 2.3 (replaces version 2.2)



Trade name: FORMULA 4T SAE 10W/40 JASO MA2

(Contd. of page 1)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- \cdot 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- The recommended storage temperature is (deg.C): ≤50°C
- · Storage class: 10
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 3)



Printing date 15.12.2023

Version number 2.3 (replaces version 2.2)

Trade name: FORMULA 4T SAE 10W/40 JASO MA2

· DNELs	-1 Lubricating oils (petroleum)	C20.50 bydratra	atad poutral ail basad	
innaialive	DNEL / Workers / Local Effects	-	5.4 mg/m3/8h (worker)	
	DNEL/general population/Local	0	``````````````````````````````````````	
Additiona	al information: The lists valid du	ring the making we	ere used as basis.	
8.2 Expos	sure controls			
	ate engineering controls No ful	rther data: see sec	tion 7.	
	l protection measures, such as			
· General p	protective and hygienic measu	res:		
	y from foodstuffs, beverages and			
	nds before breaks and at the end	of work.		
	nale gases / fumes / aerosols.			
	bry protection:			
	sary if room is well-ventilated.			
		sol or mist: use ma	sk with filter type A2, A2/P2 or ABEP	
Hand pro				
	•	able and resistan	t to the product/ the substance/	
preparatio		votion of the new-	tration times rates of diffusion and	
Selection of the glove material on consideration of the penetration times, rates of diffusion and t degradation				
· Material o				
		not only depend on	the material, but also on further ma	
			the product is a preparation of seve	
			alculated in advance and has therei	
lo de criec	cked brior to the application.			
	cked prior to the application. on time of alove material			
Penetratio	on time of glove material	ound out by the ma	nufacturer of the protective gloves a	
Penetratio	on time of glove material t break through time has to be fo	ound out by the ma	nufacturer of the protective gloves a	
• Penetratio The exact has to be • Eye/face	on time of glove material t break through time has to be fo observed. protection Goggles recommend	led during refilling	nufacturer of the protective gloves a	
• Penetratio The exact has to be • Eye/face	on time of glove material t break through time has to be fo observed.	led during refilling	nufacturer of the protective gloves a	
• Penetratio The exact has to be • Eye/face	on time of glove material t break through time has to be fo observed. protection Goggles recommend	led during refilling	nufacturer of the protective gloves a	
Penetration The exact has to be Eye/face Body pro	on time of glove material t break through time has to be for observed. protection Goggles recommend tection: Protective work clothing	led during refilling	nufacturer of the protective gloves a	
Penetration The exact has to be Eye/face Body pro	on time of glove material t break through time has to be fo observed. protection Goggles recommend	led during refilling	nufacturer of the protective gloves a	
Penetration The exact has to be Eye/face p Body pro	on time of glove material t break through time has to be for observed. protection Goggles recommend tection: Protective work clothing N 9: Physical and chemic	led during refilling cal properties		
• Penetration The exact has to be • Eye/face • Body pro SECTIO • 9.1 Inform	on time of glove material t break through time has to be for observed. protection Goggles recommend tection: Protective work clothing	led during refilling cal properties		
• Penetration The exact has to be • Eye/face • Body pro SECTIO • 9.1 Inform	on time of glove material t break through time has to be for observed. protection Goggles recommend tection: Protective work clothing N 9: Physical and chemic nation on basic physical and c nformation	led during refilling cal properties		
Penetration The exact has to be Eye/face Body pro SECTIO 9.1 Inform General In Physical s Colour:	on time of glove material t break through time has to be for observed. protection Goggles recommend tection: Protective work clothing N 9: Physical and chemic nation on basic physical and c nformation	led during refilling cal properties hemical propertie	s	
 Penetration The exact has to be exact has to be exact be be been been been been been been be	on time of glove material t break through time has to be for observed. protection Goggles recommend tection: Protective work clothing N 9: Physical and chemic nation on basic physical and c nformation	led during refilling cal properties hemical propertie Fluid yellow brow Characteris	rn tic	
 Penetration The exact has to be a basis to basis to be a basis to basis to be a basis to basis to be a	on time of glove material t break through time has to be for observed. protection Goggles recommend tection: Protective work clothing ON 9: Physical and chemic nation on basic physical and c nformation state	led during refilling cal properties hemical properties Fluid yellow brow Characteris Not determ	n tic ined.	
 Penetration The exact has to be a bas to bas to be a bas to be a bas to be a bas to bas to be a bas	on time of glove material t break through time has to be for observed. protection Goggles recommend tection: Protective work clothing ON 9: Physical and chemic nation on basic physical and c nformation state reshold: oint/freezing point:	led during refilling cal properties hemical properties Fluid yellow brow Characteris Not determin	n tic ined.	
 Penetration The exact has to be that to be the that to be the to be that to be the to be that to be the to be to be the to be the to be the to be the to be to be the to	on time of glove material t break through time has to be for observed. protection Goggles recommend tection: Protective work clothing <u>DN 9: Physical and chemic</u> nation on basic physical and c nformation state reshold: oint/freezing point: oint or initial boiling point and	led during refilling cal properties hemical properties Fluid yellow brow Characteris Not determ Undetermin	rs rs tic ined. ed.	
 Penetration The exact has to be a bas to be a ba	on time of glove material t break through time has to be for observed. protection Goggles recommend tection: Protective work clothing <u>DN 9: Physical and chemic</u> nation on basic physical and c nformation state reshold: oint/freezing point: oint or initial boiling point and ange	led during refilling cal properties hemical properties Fluid yellow brow Characteris Not determin Undetermin	rn tic ined. ed.	
 Penetration The exact has to be exact has to be exact be be	on time of glove material t break through time has to be for observed. protection Goggles recommend tection: Protective work clothing NON 9: Physical and chemic nation on basic physical and c nformation state reshold: oint/freezing point: oint or initial boiling point and ange ility	led during refilling cal properties hemical properties Fluid yellow brow Characteris Not determ Undetermin	rn tic ined. ed.	
 Penetration The exact has to be exact has to be exact has to be exact be be exact to be exact has the exact has the exact has the exact has the exact has to be exact has to be exact has the exact has to be exact has to be exact has to be exact has the exact has the exact has the exact has the exact has to be exact has the exact has the exact has the exact has the exact has to be exact has the exact	on time of glove material t break through time has to be for observed. protection Goggles recommend tection: Protective work clothing <u>DN 9: Physical and chemic</u> nation on basic physical and c nformation state reshold: oint/freezing point: oint or initial boiling point and ange	led during refilling cal properties hemical properties Fluid yellow brow Characteris Not determin Undetermin Not applica	rn tic ined. ed. ed. ble.	
 Penetration The exact has to be exact has to be exact has to be exact be be exact to be exact has the hash of th	on time of glove material t break through time has to be for observed. protection Goggles recommend tection: Protective work clothing NON 9: Physical and chemic nation on basic physical and c nformation state reshold: oint/freezing point: oint or initial boiling point and ange ility	led during refilling cal properties hemical properties Fluid yellow brow Characteris Not determin Undetermin Not applica Not determin	rn tic ined. ed. ble. ined.	
 Penetration The exact has to be exact has to be exact be exact be exact for the exact of the exact has to be exact has the exact has thas the exact has th	on time of glove material t break through time has to be for observed. protection Goggles recommend tection: Protective work clothing N 9: Physical and chemic nation on basic physical and c nformation state reshold: oint/freezing point: oint or initial boiling point and inge ility d upper explosion limit	led during refilling cal properties hemical properties Fluid yellow brow Characteris Not determin Undetermin Not applica Not determin Not determin	rn tic ined. ed. ble. ined.	
 Penetration The exact has to be exact has to be exact has to be exact sevent and the exact has to be exact has the exact has thas the exact has the exact ha	on time of glove material t break through time has to be for observed. protection Goggles recommend tection: Protective work clothing N 9: Physical and chemic nation on basic physical and c nformation state reshold: oint/freezing point: oint or initial boiling point and inge ility d upper explosion limit	led during refilling cal properties hemical properties Fluid yellow brow Characteris Not determin Undetermin Not applica Not determin Not determin Not determin Not determin 200 °C	s n tic ined. ed. ble. ined. ined. ined.	
 Penetration The exact has to be exact has to be exact has to be exact sevent and the exact has to be exact has the exact has thas	on time of glove material t break through time has to be for observed. protection Goggles recommend tection: Protective work clothing N 9: Physical and chemic nation on basic physical and c nformation state reshold: oint/freezing point: oint or initial boiling point and inge ility d upper explosion limit	led during refilling cal properties hemical properties Fluid yellow brow Characteris Not determin Undetermin Not determin Not determin Not determin Not determin 200 °C Not determin	rn tic ined. ed. ble. ined. ined.	
 Penetration The exact has to be exact has to be exact has to be exact sevent and the exact has to be exact has the exact has thas	on time of glove material t break through time has to be for observed. protection Goggles recommend tection: Protective work clothing N 9: Physical and chemic nation on basic physical and c nformation state reshold: oint/freezing point: oint or initial boiling point and inge ility d upper explosion limit	led during refilling cal properties hemical properties Fluid yellow brow Characteris Not determin Undetermin Not applica Not determin Not determin Not determin Not determin 200 °C	rn tic ined. ed. ble. ined. ined.	
 Penetration The exact has to be exact has to be exact bas to be exact sever face performed and the sever face performed and the sever sever sever	on time of glove material t break through time has to be for observed. protection Goggles recommend tection: Protective work clothing NON 9: Physical and chemic nation on basic physical and c nformation state reshold: oint/freezing point: oint or initial boiling point and inge ility d upper explosion limit	led during refilling cal properties hemical properties Fluid yellow brow Characteris Not determin Undetermin Not applica Not determin Not determin	rn tic ined. ed. ble. ined. ined. ined.	
 Penetration The exact has to be a bas to be a ba	on time of glove material t break through time has to be for observed. protection Goggles recommend tection: Protective work clothing DN 9: Physical and chemic nation on basic physical and c nformation state reshold: oint/freezing point: oint or initial boiling point and ange ility d upper explosion limit int: position temperature:	led during refilling cal properties hemical properties Fluid yellow brow Characteris Not determin Undetermin Not determin Not determin Not determin Not determin 200 °C Not determin	rn tic ined. ed. ble. ined. ined. ined.	
 Penetration The exact has to be exact has to be exact bas to be exact sever face performed and the sever face performed and the sever sever sever	on time of glove material t break through time has to be for observed. protection Goggles recommend tection: Protective work clothing DN 9: Physical and chemic nation on basic physical and c nformation state reshold: oint/freezing point: oint or initial boiling point and ange ility d upper explosion limit	led during refilling cal properties hemical properties Fluid yellow brow Characteris Not determin Undetermin Not applica Not determin Not determin	rn tic ined. ed. ble. ined. ined. ined. ined. ined.	

Printing date 15.12.2023

Version number 2.3 (replaces version 2.2)



Trade name: FORMULA 4T SAE 10W/40 JASO MA2

	(Contd. of page	
Solubility		
water:	Not miscible or difficult to mix.	
Partition coefficient n-octanol/water (log		
value)	Not determined.	
Heat Capacity		
Vapour pressure:	Not determined.	
Density and/or relative density		
Density at 20 °C:	0.866 g/cm³ (ASTM D 4052)	
Relative density	Not determined.	
Vapour density	Not determined.	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of hea	lth	
and environment, and on safety.		
Explosive properties:	Product does not present an explosion hazard.	
Solvent separation test:		
VOC (EC)	0.00 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical haza	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
	Void	
Oxidisina sollas		
Oxidising solids Organic peroxides	Void	
Organic peroxides Corrosive to metals	Void Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- **Thermal decomposition** / **conditions to be avoided:** No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)

GB

Printing date 15.12.2023 Version number 2.3 (replaces version 2.2)

Oil of Switzerland Revision: 15.12.2023

(Contd. of page 4)

Trade name: FORMULA 4T SAE 10W/40 JASO MA2

SECTION 11: Toxicological information 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 · Acute toxicity Based on available data, the classification criteria are not met. · LD/LC50 values relevant for classification: 72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Oral LD50 5,000 mg/kg (rat) LOAEL 125 mg/kg/24h (rat) LD50 Dermal 2,000-5,000 mg/kg (rabbit) NOAEL 150 mg/kg/24h (mouse) 30-2,000 mg/kg/24h (rat) 1,000 mg/kg/24h (rabbit) LOAEL 100 mg/kg/24h (mouse) Inhalative LC50 / 4h 2.18-5.53 mg/l (rat) NOAEC 980 mg/m3 (rat) NOEC 220 mg/m3 (rat) Skin corrosion/irritation Based on available data, the classification criteria are not met. · Serious eye damage/irritation Based on available data, the classification criteria are not met. · Respiratory or skin sensitisation Based on available data, the classification criteria are not met. · Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. • Reproductive toxicity Based on available data, the classification criteria are not met. • STOT-single exposure Based on available data, the classification criteria are not met. • STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met. 11.2 Information on other hazards Endocrine disrupting properties 121158-58-5 phenol, dodecyl-, branched List I SECTION 12: Ecological information 12.1 Toxicity · Aquatic toxicity: 72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based LL50 10,000 mg/l/96h (aquatic invertebrates) 100 mg/l/96h (fish) LL50 10,000 mg/l/72h (aquatic invertebrates) LL50 10,000 mg/l/48h (aquatic invertebrates) LL50 10,000 mg/l/24h (aquatic invertebrates) EL50 10,000 mg/l/48h (aquatic invertebrates) · 12.2 Persistence and degradability No further relevant information available. · 12.3 Bioaccumulative potential No further relevant information available. • 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11. (Contd. on page 6) GR

Printing date 15.12.2023

Version number 2.3 (replaces version 2.2)



Trade name: FORMULA 4T SAE 10W/40 JASO MA2

(Contd. of page 5)

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

· Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR/RID/ADN, ADN, IMDG, IATA	Not classified as hazardous for transport		
· 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA	Not classified as hazardous for transport		
 14.3 Transport hazard class(es) 			
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Not classified as hazardous for transport		
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Not classified as hazardous for transport		
· 14.5 Environmental hazards:	Not applicable.		
· 14.6 Special precautions for user	Not applicable.		
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.			
· UN "Model Regulation":	Not classified as hazardous for transport		

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

(Contd. on page 7)

Printing date 15.12.2023

Version number 2.3 (replaces version 2.2)



Trade name: FORMULA 4T SAE 10W/40 JASO MA2

(Contd. of page 6)

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

· purity requirement

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

- · Department issuing SDS: Abteilung Produktsicherheit
- Abbreviations and acronyms:
- Asp. Tox. 1: Aspiration hazard Category 1
- * Data compared to the previous version altered.

Annex: Exposure scenario 1

- · Short title of the exposure scenario
- Industrial use of lubricants and greases in vehicles or machinery
- · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category

PC16 Heat transfer fluids

PC17 Hydraulic fluids

PC24 Lubricants, greases, release products

Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

· Environmental release category

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article) ERC7 Use of functional fluid at industrial site

- **Description of the activities** / **processes covered in the Exposure Scenario** See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.

(Contd. on page 8)

GB



(Contd. of page 7)

Printing date 15.12.2023

Version number 2.3 (replaces version 2.2)

Trade name: FORMULA 4T SAE 10W/40 JASO MA2

	(Contd. of page 7)
· Risk management measures	
Worker protection	
• Organisational protective measures No special measures required.	
 Technical protective measures No special measures required. 	
 Personal protective measures No special measures required. 	
 Measures for consumer protection No special measures required. 	
 Environmental protection measures 	
· Air No special measures required.	
· Water No special measures required.	
· Disposal measures	
Disposal must be made according to official regulations.	
Ensure that waste is collected and contained.	
· Disposal procedures Dispose of product residues with household waste.	
 Waste type Partially emptied and uncleaned packaging 	
· Exposure estimation	
 Consumer Not relevant for this Exposure Scenario. 	
· Guidance for downstream users No further relevant information available.	
Annex: Exposure scenario 2	
 Short title of the exposure scenario 	
Professional use of lubricants and greases in vehicles or machines	
· Sector of Use	
SU22 Professional uses: Public domain (administration, education, enter	ərtainment, services,
craftsmen)	
· Product category	
PC16 Heat transfer fluids	
PC17 Hydraulic fluids	
PC24 Lubricants, greases, release products	
Process category	
PROC1 Chemical production or refinery in closed process without likel	ihood of exposure or
processes with equivalent containment conditions.	
PROC2 Chemical production or refinery in closed continuous process with	occasional controlled
exposure or processes with equivalent containment conditions	
PROC8a Transfer of substance or mixture (charging and discharging) at non-	
PROC8b Transfer of substance or mixture (charging and discharging) at ded	icated facilities
PROC20 Use of functional fluids in small devices	
· Environmental release category	
ERC9a Widespread use of functional fluid (indoor)	
ERC9b Widespread use of functional fluid (outdoor)	
 Description of the activities / processes covered in the Exposure Scenario 	io
See section 1 of the annex to the Safety Data Sheet.	
· Conditions of use	
 Duration and frequency 5 workdays/week. 	
· Physical parameters	
· Physical state Fluid	
 Concentration of the substance in the mixture The substance is main compared 	oonent.
 Other operational conditions 	
 Other operational conditions affecting environmental exposure No special 	al measures required.
· Other operational conditions affecting consumer exposure Not required.	
 Other operational conditions affecting consumer exposure during the us 	e of the product
Nataraliaabla	
Not applicable.	
· Risk management measures	
Risk management measures	
Risk management measures Worker protection	
 Risk management measures Worker protection Organisational protective measures No special measures required. 	

Printing date 15.12.2023

Version number 2.3 (replaces version 2.2)



(Contd. of page 8)

Trade name: FORMULA 4T SAE 10W/40 JASO MA2

· Measures for consumer protection No special measures required.

- · Environmental protection measures
- Air No special measures required.
- · Water No special measures required.
- Disposal measures
- Disposal must be made according to official regulations. Ensure that waste is collected and contained.
- · **Disposal procedures** Dispose of product residues with household waste.
- Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 3

· Short title of the exposure scenario Private use of lubricants and greases in vehicles or machines · Sector of Use SU21 Consumer uses: Private households / general public / consumers · Product category PC24 Lubricants, greases, release products · Environmental release category ERC9a Widespread use of functional fluid (indoor) ERC9b Widespread use of functional fluid (outdoor) Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet. · Conditions of use · Duration and frequency 5 workdays/week. · Physical parameters · Physical state Fluid · Concentration of the substance in the mixture The substance is main component. · Other operational conditions · Other operational conditions affecting environmental exposure No special measures required. · Other operational conditions affecting consumer exposure Not required. · Other operational conditions affecting consumer exposure during the use of the product Not applicable. · Risk management measures · Worker protection · Organisational protective measures No special measures required. · Technical protective measures No special measures required. · Personal protective measures No special measures required. · Measures for consumer protection No special measures required. · Environmental protection measures • Air No special measures required. · Water No special measures required. Disposal measures Disposal must be made according to official regulations. Ensure that waste is collected and contained. · Disposal procedures Dispose of product residues with household waste. Waste type Partially emptied and uncleaned packaging Exposure estimation · Consumer Not relevant for this Exposure Scenario. · Guidance for downstream users No further relevant information available.