Version number 1.2 (replaces version 1.1)

Printing date 14.03.2023



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: MOTO CLEAN PLUS
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture
 Only for proper handling.
 Cleaning material/ Detergent
- 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier:

MOTOREX AG Bern–Zürich–Strasse 31, Postfach CH–4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

· Further information obtainable from: msds@motorex.com

· 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



· Signal word Warning

· Hazard statements

H319 Causes serious eye irritation.

- Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P264 Wash thoroughly after handling.
- P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

- Additional information:
- Contains biocidal products: 1,2-benzisothiazol-3(2H)-one
- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)

GB

Printing date 14.03.2023

Version number 1.2 (replaces version 1.1)



Trade name: MOTO CLEAN PLUS

· vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

 Dangerous components: 		
CAS: 7320-34-5 EINECS: 230-785-7 Reg.nr.: 01-2119489369-18	tetrapotassium pyrophosphate Eye Irrit. 2, H319	≥2.5-≤7.5%
CAS: 120313-48-6 EC number: 639-733-1 Reg.nr.: 02-2119548508-30	Alcohols, C12-15-branch./linear, EO/PO Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-2.5%
CAS: 68411-30-3 EINECS: 270-115-0 Reg.nr.: 01-2119489428-22	Benzene sulfonic acid, C10-13-alkyl derivatives, sodium salts Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	≥1-<2.5%
	anionische Tenside Eye Irrit. 2, H319	≥0.25-≤2.5%
CAS: 26183-52-8 NLP: 500-046-6	Decan-1-ol, ethoxylated Eye Irrit. 2, H319	0.25-1%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥0.05 %	≥0-<0.05%
· Regulation (EC) No 648/200	4 on detergents / Labelling for contents	

phosphates, non-ionic surfactants, anionic surfactants, preservation agents <5% (BENZISOTHIAZOLINONE)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

- · After skin contact: Remove residues with soap and water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing: If symptoms persist consult doctor.

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

• **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

[–] GB

Printing date 14.03.2023

Version number 1.2 (replaces version 1.1)



(Contd. of page 2)

Trade name: MOTO CLEAN PLUS

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). • 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly. • Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: The recommended storage temperature is (deg.C): 5-50°C Keep container tightly sealed.
- · Storage class: 12
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

68411-30-	3 Benzene sulfonic acid, C10-13-alkyl derivatives, s	sodium salts
Oral	DNEL/general population/Systemic effects/Long-term	0.425 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-term	85 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	42.5 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-term	6 mg/m3 (worker)
	DNEL / Workers / Local Effects / Long-term	6 mg/m3 (worker)
	DNEL/general population/Systemic effects/Long-term	1.5 mg/m3 (consumer)
	DNEL/general population/Local effects/Long-term	1.5 mg/m3 (consumer)
26183-52-	8 Decan-1-ol, ethoxylated	
Oral	DNEL/general population/Systemic effects/Long-term	25 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-term	2,080 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	1,250 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-term	294 mg/m3 (worker)
	DNEL/general population/Systemic effects/Long-term	87 mg/m3 (consumer)

бВ

Printing date 14.03.2023

Version number 1.2 (replaces version 1.1)



Trade name: MOTO CLEAN PLUS

	1,2-benzisothiazol-3(2H)-one	m	0.066 ma/ka/24b/warkar)
Dermal	DNEL / Workers / Systemic effects / Long-ter		0.966 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Lc	-	0.345 mg/kg/24h (consumer)
innalative	DNEL / Workers / Systemic effects / Long-ter		6.81 mg/m3 (worker)
	DNEL/general population/Systemic effects/Lc	ong-term	1.2 mg/m3 (consumer)
PNECs			
	3 Benzene sulfonic acid, C10-13-alkyl deriv	-	
			g/l (aquatic organisms)
			ng/l (aquatic organisms)
-		0.0167 n	ng/l (aquatic organisms)
PNEC/Aqu	uatic organisms/Sewage treatment plant/STP	3.43 mg/	/l (aquatic organisms)
PNEC / Ad	quatic organisms / Sediment (freshwater)	8.1 mg/k	g (aquatic organisms)
PNEC / Ad	quatic organisms / Sediment (marine water)	6.8 mg/k	g (aquatic organisms)
PNEC / Te	errestrial organism / Soil	35 mg/kg	g (terrestrial organisms)
	8 Decan-1-ol, ethoxylated		
PNEC / Ad	quatic organisms / Freshwater	0.292 m	g/l (aquatic organisms)
PNEC / Ad	quatic organisms / Marine water	0.0292 n	ng/l (aquatic organisms)
PNEC/Aqu	uatic org/intermittent releases(freshwater)	0.0039 n	ng/l (aquatic organisms)
PNEC/Aqu	uatic organisms/Sewage treatment plant/STP	1.4 mg/l	(aquatic organisms)
PNEC / Ad	quatic organisms / Sediment (freshwater)	31.9 mg/	/kg (aquatic organisms)
PNEC / Ad	quatic organisms / Sediment (marine water)	3.19 mg/	/kg (aquatic organisms)
2634-33-5	1,2-benzisothiazol-3(2H)-one		
PNEC / Ad	quatic organisms / Freshwater	0.004 m	g/l (aquatic organisms)
PNEC / Ad	quatic organisms / Marine water	0.000403	3 mg/l (aquatic organisms)
PNEC/Aqu	uatic org/intermittent releases(freshwater)	0.0011 n	ng/l (aquatic organisms)
PNEC/Aqu	uatic organisms/Sewage treatment plant/STP	1.03 mg/	/l (aquatic organisms)
PNEC / Ad	quatic organisms / Sediment (freshwater)	0.00004	99 mg/kg (aquatic organisms)
PNEC / Ad	quatic organisms / Sediment (marine water)	0.00000	499 mg/kg (aquatic organisms)
Additiona	I information: The lists valid during the makir	ng were L	ised as basis.
Individua General p Keep awa Immediate Wash han Do not inh Avoid con Avoid con	ate engineering controls No further data; see I protection measures, such as personal protective and hygienic measures: by from foodstuffs, beverages and feed. ely remove all soiled and contaminated clothing ds before breaks and at the end of work. ale gases / fumes / aerosols. tact with the eyes. tact with the eyes and skin. by protection:	otective	
Respirator Hand pro The glove oreparatio Selection degradatic Material o The select	e material has to be impermeable and res n. of the glove material on consideration of the p on of gloves tion of the suitable gloves does not only deper	istant to penetrati nd on the	the product/ the substance/ on times, rates of diffusion and material, but also on further m
	and varies from manufacturer to manufacture s, the resistance of the glove material can not		

Printing date 14.03.2023

Version number 1.2 (replaces version 1.1)



Trade name: MOTO CLEAN PLUS

(Contd. of page 4)

to be checked prior to the application.	
Penetration time of glove material	
The exact break through time has to be found	d out by the manufacturer of the protective gloves
has to be observed.	
Eye/face protection Goggles recommended	during refilling
Body protection: Protective work clothing	
SECTION 9: Physical and chemical	properties
9.1 Information on basic physical and cher	nical properties
General Information	
Physical state	Fluid
Colour:	yellow fluorescent
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and	
boiling range	100 °C (DIN EN ISO 3405)
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	8.9 (DIN 51369)
Viscosity:	
Kinematic viscosity	Not determined.
Consistency	N () () ()
Dynamic:	Not determined.
Solubility	Not min sible on difficult to main
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	Not determined.
value) Heat Capacity	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	25 HF a
Density at 20 °C:	1.047 g/cm³ (ASTM D 4052)
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	Fluid
Form:	Fluid
Important information on protection of hea	101
and environment, and on safety.	Product does not present an explosion hazard.
Explosive properties: Solvent separation test:	ה הסטטט טטפט הטו אופטפווג מוז פאאטטוטוז וומצמוט.
VOC (EC)	0.00 %
Change in condition	0.00 /0
Evaporation rate	Not determined.
•	
Information with regard to physical haza	ard
classes	
Explosives	Void
Explosives Flammable gases Aerosols	Void Void Void

(Contd. on page 6)

⁻ GB

Printing date 14.03.2023

Version number 1.2 (replaces version 1.1)



GB

Trade name: MOTO CLEAN PLUS

		(Contd. of page 5)
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

/320-34-5	tetrapotas	ssium pyrophosphate
Oral	LD50	>2,000 mg/kg (mouse)
68411-30-	3 Benzene	e sulfonic acid, C10-13-alkyl derivatives, sodium salts
Oral	LD50	1,080 mg/kg (rat)
	NOAEL	40-85 mg/kg/24h (rat)
	LOAEL	115-145 mg/kg/24h (rat)
Dermal	LD50	2,000 mg/kg (rat)
26183-52-	8 Decan-1	-ol, ethoxylated
Oral	LD50	5,050 mg/kg (rat)
	NOAEL	500 mg/kg/24h (rat)
Dermal	LD50	2,000-3,000 ml/kg (rabbit)
	LD50	2,000 mg/kg (rat)
Inhalative	LC50 / 6h	100 mg/m3 (rat)
	LC50 / 4h	1.6 mg/l (rat)
2634-33-5	1,2-benzi	sothiazol-3(2H)-one
Oral	LD50	490-670 mg/kg (rat)
	NOAEL	69-150 mg/kg/24h (rat)
Dermal	LD50	2,000 mg/kg (rat)

Printing date 14.03.2023

Version number 1.2 (replaces version 1.1)



(Contd. of page 6)

Trade name: MOTO CLEAN PLUS

· 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

Aquati	c toxicity:	
•	30-3 Benzene sulfonic acid, C10-13-alkyl derivatives, sodium salts	
LC50	1.8-6.5 mg/l/96h (aquatic invertebrates)	
	1.67 mg/l/96h (fish)	
LC50	0.96-1.1 mg/l/7d (aquatic invertebrates)	
EC50	6.4 mg/l/24h (aquatic invertebrates)	
EC50	0.91-29 mg/l/96h (algae / cyanobacteria)	
EC50	2.9 mg/l/48h (aquatic invertebrates)	
NOEC	0.23 mg/l/72d (fish)	
NOEC	100 g/kg/21d (terrestrial plants)	
NOEC	0.081 g/kg/28d (sediment)	
NOEC	1.18 mg/l/21d (aquatic invertebrates)	
NOEC	2.4 mg/l/72h (algae / cyanobacteria)	
NOEC	0.5 mg/l/96h (algae / cyanobacteria)	
NOEC	0.5-5 mg/l/7d (aquatic invertebrates)	
NOEC	2-4 mg/l/28d (aquatic invertebrates)	
	1-3.2 mg/l/28d (fish)	
26183-	52-8 Decan-1-ol, ethoxylated	
LC50	1.2 mg/l/96h (fish)	
LC50	1 g/kg/14d (terrestr. macroorganisms (- arthropods))	
EC50	140 mg/l/3h (microorganisms)	
EC50	0.61-0.7 mg/l/24h (aquatic invertebrates)	
EC10	0.62-1.1 mg/l/72h (algae / cyanobacteria)	
EC50	0.18-1.8 mg/l/72h (algae / cyanobacteria)	
EC50	0.39-2.5 mg/l/48h (aquatic invertebrates)	
NOEC	100 g/kg/21d (terrestrial plants)	
NOEC	0.77-1.75 mg/l/21d (aquatic invertebrates)	
NOEC	0.4 mg/l/72h (algae / cyanobacteria)	
NOEC	0.66 mg/l/96h (fish)	
	3-5 1,2-benzisothiazol-3(2H)-one	
LC50	2.15-22 mg/l/96h (fish)	
	0.41 g/kg/14d (terrestr. macroorganisms (- arthropods))	
EC50	0.2-0.812 g/kg/14d (terrestrial plants)	
EC10	10.3 mg/l (microorganisms)	
EC10	30 mg/kg (terrestrial plants)	
	263.7 mg/kg (soil microorganisms)	
	234.5 mg/kg (terrestr. macroorganisms (- arthropods))	
EC50	0.8115 g/kg/28d (soil microorganisms)	
EC50	12.8-24 mg/l/3h (microorganisms)	

- GB

Version number 1.2 (replaces version 1.1)



Trade name: MOTO CLEAN PLUS

Printing date 14.03.2023

EC50	0.07-0.15 ma/l/72h	(Contd. of page
	0.07 0.10 mg/#7En	(algae / cyanobacteria)
NOEC	2.9-2.94 mg/l/48h (a	aquatic invertebrates)
	0.03-0.812 g/kg/14d	d (terrestrial plants)
	0.234-0.411 g/kg/14	4d (terrestr. macroorganisms (- arthropods))
NOEC	0.2637 g/kg/28d (sc	bil microorganisms)
NOEC	0.04-0.055 mg/l/72h	n (algae / cyanobacteria)
NOEC	10.3-11 mg/l/3h (mi	croorganisms)
12.2 Pe	ersistence and deg	radability No further relevant information available.
12.3 Bi	ioaccumulative pot	ential
68411-	30-3 Benzene sulfo	nic acid, C10-13-alkyl derivatives, sodium salts
Partitio	n coefficient	1.4 [] (log Kow) (Bioaccumulation)
Biodeg	radability	85 % (28d) (Biodegradability) (OECD 301 B)
26183-	52-8 Decan-1-ol, et	hoxylated
Dortitio	n coefficient	3.24-5 [] (log Kow) (Bioaccumulation)
r artitio		
	3-5 1,2-benzisothia	
2634-3		
2634-3 Partition Biocond 12.4 M 12.5 R	3-5 1,2-benzisothia n coefficient centration factor (BC	<i>zol-3(2H)-one</i> 0.7 [] (log Kow) (Bioaccumulation) F) 6.62 BCF (fish) ther relevant information available.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR/RID/ADN, ADN, IMDG, IATA

· 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA Void

Void

(Contd. on page 9)

GB

Version number 1.2 (replaces version 1.1)



Printing date 14.03.2023

Trade name: MOTO CLEAN PLUS

		(Contd. of page 8)
 14.3 Transport hazard class(es) 		
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk accordir IMO instruments 	ng to Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

purity requirement

Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

· Department issuing SDS: Abteilung Produktsicherheit

Abbreviations and acronyms:
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 DNEL: Derived No-Effect Level (UK REACH)
 PNEC: Predicted No-Effect Concentration (UK REACH)
 LC50: Lethal concentration, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 10)

Version number 1.2 (replaces version 1.1)



Printing date 14.03.2023

Trade name: MOTO CLEAN PLUS

(Contd. of page 9)

vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

• * Data compared to the previous version altered.

Annex: Exposure scenario 1

- · Short title of the exposure scenario Industrial use of cleaning agents
- Sector of Use
- SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- Product category PC35 Washing and cleaning products (including solvent based products) Process category
- PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
- PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC10 Roller application or brushing

- PROC11 Non industrial spraying PROC13 Treatment of articles by dipping and pouring
- PROC15 Use as laboratory reagent
- · Environmental release category
- ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor) · Description of the activities / processes covered in the Exposure Scenario
- See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- Environmental protection measures
- Air No special measures required.
- Water No special measures required.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.

(Contd. on page 11)

GB

Printing date 14.03.2023

Version number 1.2 (replaces version 1.1)



Trade name: MOTO CLEAN PLUS

(Contd. of page 10) · Guidance for downstream users No further relevant information available. Annex: Exposure scenario 2 · Short title of the exposure scenario Professional use of cleaning agents Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) • Product category PC35 Washing and cleaning products (including solvent based products) · Process category PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC10 Roller application or brushing PROC11 Non industrial spraying PROC13 Treatment of articles by dipping and pouring PROC15 Use as laboratory reagent Environmental release category ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor) Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet. Conditions of use · Duration and frequency 5 workdays/week. · Physical parameters · Physical state Fluid · Concentration of the substance in the mixture The substance is main component. Other operational conditions · Other operational conditions affecting environmental exposure No special measures required. · Other operational conditions affecting consumer exposure Not required. · Other operational conditions affecting consumer exposure during the use of the product Not applicable. · Risk management measures · Worker protection · Organisational protective measures No special measures required. · Technical protective measures No special measures required. · Personal protective measures No special measures required. · Measures for consumer protection No special measures required. · Environmental protection measures · Air No special measures required. Water No special measures required. · Disposal measures Ensure that waste is collected and contained. · Disposal procedures Dispose of product residues with household waste. Waste type Partially emptied and uncleaned packaging · Exposure estimation · Consumer Not relevant for this Exposure Scenario. · Guidance for downstream users No further relevant information available. Annex: Exposure scenario 3 · Short title of the exposure scenario Private use of cleaning agents

• Sector of Use SU21 Consumer uses: Private households / general public / consumers

• **Product category** PC35 Washing and cleaning products (including solvent based products)

(Contd. on page 12)

GB

Page 12/12

Safety data sheet according to 1907/2006/EC, Article 31 Version number 1.2 (replaces version 1.1)

Oil of Switzerland Revision: 14.03.2023

Printing date 14.03.2023

Trade name: MOTO CLEAN PLUS

	(Contd. of page 11)
 Process category PROC1 Chemical production or refinery in closed process without likelihoo 	d of oxnosuro or
processes with equivalent containment conditions.	
PROC2 Chemical production or refinery in closed continuous process with occa exposure or processes with equivalent containment conditions	asional controlled
PROC8a Transfer of substance or mixture (charging and discharging) at non-ded	licated facilities
PROC8b Transfer of substance or mixture (charging and discharging) at dedicate	ed facilities
PROC10 Roller application or brushing	
PROC11 Non industrial spraying	
PROC13 Treatment of articles by dipping and pouring	
Environmental release category	article indeer)
ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto a Description of the activities / processes covered in the Exposure Scenario	arlicle, indoor)
See section 1 of the annex to the Safety Data Sheet.	
Conditions of use	
Duration and frequency 5 workdays/week.	
Physical parameters	
Physical state Fluid	
Concentration of the substance in the mixture The substance is main compone	ent.
Other operational conditions	
Other operational conditions affecting environmental exposure No special me	easures required.
Other operational conditions affecting consumer exposure Not required.	the needed
Other operational conditions affecting consumer exposure during the use of Not applicable.	the product
Risk management measures	
Worker protection	
Organisational protective measures No special measures required.	
Technical protective measures No special measures required.	
Personal protective measures No special measures required.	
Measures for consumer protection No special measures required.	
Environmental protection measures	
Air No special measures required.	
Water No special measures required.	
Disposal measures Ensure that waste is collected and contained.	
Disposal procedures Dispose of product residues with household waste.	
Waste type Partially emptied and uncleaned packaging	
Exposure estimation	
Consumer Not relevant for this Exposure Scenario.	
Guidance for downstream users No further relevant information available.	