Revision: 09.05.2023

Printing date 09.05.2023

Version number 3.1 (replaces version 3.0)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: RACING BIO AIR FILTER OIL
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture

Only for proper handling.

Air filter oil

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

www.motorex.com

**MOTOREX AG** Bern-Zürich-Strasse 31, Postfach CH-4901 Langenthal Tel. +41 (0)62 919 75 75

- · Further information obtainable from: msds@motorex.com
- 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

H225 Highly flammable liquid and vapour. Flam. Liq. 2

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms









GHS02 GHS07 GHS08 GHS09

- · Signal word Danger
- Hazard-determining components of labelling:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Hydrocarbons, C7, n-alkanes, Isoalkanes, cyclenes

Hydrocarbons, C6, isoalkanes, <5% of n-hexane

· Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition P210

sources. No smoking.

(Contd. on page 2)



Printing date 09.05.2023

Version number 3.1 (replaces version 3.0)

Trade name: RACING BIO AIR FILTER OIL

(Contd. of page 1)

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
EC number: 921-024-6 Reg.nr.: 01-2119475514-35	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	25-50%
EC number: 927-510-4 Reg.nr.: 01-2119475515-33- xxxx	Hydrocarbons, C7, n-alkanes, Isoalkanes, cyclenes Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	≥20-<25%
EC number: 931-254-9 Reg.nr.: 01-2119484651-34	Hydrocarbons, C6, isoalkanes, <5% of n-hexane Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	≥10-<20%

· Regulation (EC) No 648/2004 on detergents / Labelling for contents	
aliphatic hydrocarbons	≥30%

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

GB

MOTOREX Oil of Switzerland
Revision: 09.05,2023

Printing date 09.05.2023

Version number 3.1 (replaces version 3.0)

Trade name: RACING BIO AIR FILTER OIL

(Contd. of page 2)

## SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

The recommended storage temperature is (deg.C): ≤50°C

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

MOTOREX Oil of Switzerland
Revision: 09.05,2023

Printing date 09.05.2023

Version number 3.1 (replaces version 3.0)

Trade name: RACING BIO AIR FILTER OIL

(Contd. of page 3)

·DNELs		
Hydrocar	bons, C6, isoalkanes, <5% of n-hexane	
Oral	DNEL/general population/Systemic effects/Long-term	1,301 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-term	13,964 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	1,377 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-term	5,306 mg/m3 (worker)
	DNEL/general population/Systemic effects/Long-term	1,131 mg/m3 (consumer)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

#### · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



safety goggles

· Body protection: Protective work clothing

### SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

Physical state
Colour:
Odour:
Solvent-like

Odour threshold:
 Melting point/freezing point:
 Not determined.
 Undetermined.

(Contd. on page 5)



Printing date 09.05.2023

Version number 3.1 (replaces version 3.0)

Trade name: RACING BIO AIR FILTER OIL

(Contd. of page 4)

· Boiling point or initial boiling point and

65 °C (DIN EN ISO 3405) boiling range

Flammability Highly flammable.

Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined.

· Flash point: <-20 °C

Decomposition temperature: Not determined. · pH Not determined.

Viscosity:

Kinematic viscosity 7.1 mm²/s @ 40 °C

· Consistency

· Dynamic: Not determined.

Solubility

· water: Not miscible or difficult to mix.

Partition coefficient n-octanol/water (log

value) Not determined.

Heat Capacity

· Vapour pressure: Not determined.

· Vapour pressure:

· Density and/or relative density

· Density at 20 °C: 0.781 g/cm³ (ASTM D 4052)

· Relative density Not determined. · Vapour density Not determined.

9.2 Other information

· Appearance:

Form: Fluid

· Important information on protection of health

and environment, and on safety.

· Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent separation test:

59.98 % VOC (EC)

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard

classes · Explosives Void · Flammable gases Void Void · Aerosols Void · Oxidising gases · Gases under pressure Void

Flammable liquids Highly flammable liquid and vapour.

· Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pvrophoric solids Void · Self-heating substances and mixtures Void

· Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void

(Contd. on page 6)



Printing date 09.05.2023

Version number 3.1 (replaces version 3.0)

Trade name: RACING BIO AIR FILTER OIL

		(Contd. of page 5)
· Desensitised explosives	Void	

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:	
Hydrocar	bons, C7, i	n-alkanes, Isoalkanes, cyclenes
Oral	LD50	8 ml/kg (rat)
Dermal	LD50	4 ml/kg (rat)
	LD50	2,800-3,100 mg/kg (rat)
	NOEL	200-2,000 mg/kg/24h (rabbit)
	NOAEL	375-3,750 mg/kg/24h (rat)
Inhalative	LC50 / 4h	23.3 mg/l (rat)
	NOAEC	9.84-20 mg/l (rat)
Hydrocar	bons, C6, i	soalkanes, <5% of n-hexane
Oral	LD50	25 ml/kg (rat)
Dermal	LD50	5 ml/kg (rabbit)
Inhalative	LC50 / 4h	73,860 ppm (rat)
	NOAEC	8,992 ppm (mouse)
		2,984-8,992 ppm (rat)
	LOAEC	8,992 ppm (rat)

- Skin corrosion/irritation Causes skin irritation.
- · STOT-single exposure May cause drowsiness or dizziness.
- · Aspiration hazard May be fatal if swallowed and enters airways.
- · 11.2 Information on other hazards

· Endocrin	e disrupting properties	
540-97-6	Dodecamethylcyclohexasiloxane	List II
541-02-6	2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane	List II
556-67-2	octamethylcyclotetrasiloxane	List II; III

GB

MOTOREX Oil of Switzerland
Revision: 09.05,2023

Printing date 09.05.2023

Version number 3.1 (replaces version 3.0)

Trade name: RACING BIO AIR FILTER OIL

(Contd. of page 6)

## SECTION 12: Ecological information

### · 12.1 Toxicity

Aquatic	toxicity:
Hydroca	rbons, C7, n-alkanes, Isoalkanes, cyclenes
EC50	0.23 mg/l/21d (aquatic invertebrates)
EC50	0.64 mg/l/48h (aquatic invertebrates)
LL50	8.2-13.4 mg/l/96h (fish)
EL50	3.7-13 mg/l/96h (algae / cyanobacteria)
EL50	3-4.5 mg/l/48h (aquatic invertebrates)
	10-30 mg/l/48h (algae / cyanobacteria)
EL50	12 mg/l/24h (aquatic invertebrates)
	10-30 mg/l/24h (algae / cyanobacteria)
EL50	3.1-30 mg/l/72h (algae / cyanobacteria)
EL50	10 mg/l/21d (fish)
EL0	2 mg/l/48h (aquatic invertebrates)
EL0	10 mg/l/24h (aquatic invertebrates)
NOEC	0.17 mg/l/21d (aquatic invertebrates)
NOELR	1-16 mg/l/28d (aquatic invertebrates)
	1.534 mg/l/28d (fish)
NOELR	2.6 mg/l/21d (fish)
NOELR	0.5-10 mg/l/72h (algae / cyanobacteria)
NOELR	0.5 mg/l/48h (aquatic invertebrates)
LOEC	0.32 mg/kg/28d (aquatic invertebrates)
Hydroca	rbons, C6, isoalkanes, <5% of n-hexane
LL50	18.27 mg/l/96h (fish)
EL50	31.9 mg/l/48h (aquatic invertebrates)
	13.56 mg/l/72h (algae / cyanobacteria)
NOELR	4.089 mg/l/28d (fish)
NOELR	7.138 mg/l/21d (aquatic invertebrates)
NOELR	3.034 mg/l/72h (algae / cyanobacteria)

#### · 12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulat	· 12.3 Bioaccumulative potential		
Hydrocarbons, C7, n-alkanes, Isoalkanes, cyclenes			
Biodegradability	98 % (28d) (Biodegradability) (OECD 301 F)		
Hydrocarbons, C6,	Hydrocarbons, C6, isoalkanes, <5% of n-hexane		
Partition coefficient	3.6 [] (log Kow) (Bioaccumulation)		
Biodegradability	Biodegradability >80 % (28d) (Biodegradability) (OECD 301 F)		

- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (according to Appendix 1 AWSV): significantly hazardous to water

(Contd. on page 8)

MOTOREX\*
Oil of Switzerland

Revision: 09.05,2023

Printing date 09.05.2023

Version number 3.1 (replaces version 3.0)

Trade name: RACING BIO AIR FILTER OIL

(Contd. of page 7)

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

- · Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

Discharged containers can contain flammable or explosive vapours.

· 14.1 UN number or ID number · ADR/RID/ADN, IMDG, IATA	UN3295
· 14.2 UN proper shipping name · ADR/RID/ADN	3295 HYDROCARBONS, LIQUID, N.O.S., ENVIRONMENTALLY HAZARDOUS, special provision 640D
· IMDG	HYDROCARBONS, LIQUID, N.O.S., MARINE POLLUTANT
· IATA	HYDROCARBONS, LIQUID, N.O.S.

- · 14.3 Transport hazard class(es)
- · ADR/RID/ADN





ClassLabel3 (F1) Flammable liquids.3

IMDG





· Class 3 Flammable liquids. · Label 3

(Contd. on page 9)

MOTOREX\*
Oil of Switzerland

Revision: 09.05,2023

Printing date 09.05.2023

Version number 3.1 (replaces version 3.0)

Trade name: RACING BIO AIR FILTER OIL

	(Contd. of page 8
· IATA	
· Class · Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	II .
· 14.5 Environmental hazards:  · Marine pollutant:  · Special marking (ADR/RID/ADN):	Product contains environmentally hazardous substances: Hydrocarbons, C6-C7, n-alkanes isoalkanes, cyclics, <5% n-hexane Symbol (fish and tree) Symbol (fish and tree)
<ul> <li>14.6 Special precautions for user</li> <li>Hazard identification number (Kemler code)</li> <li>EMS Number:</li> <li>Stowage Category</li> </ul>	Warning: Flammable liquids. :- F-E,S-D B
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR/RID/ADN · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m 2
· Tunnel restriction code	D/E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m.
· UN "Model Regulation":	UN 3295 HYDROCARBONS, LIQUID, N.O.S. 3, II ENVIRONMENTALLY HAZARDOUS

## SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

(Contd. on page 10)

Revision: 09.05.2023

Printing date 09.05.2023

Version number 3.1 (replaces version 3.0)

Trade name: RACING BIO AIR FILTER OIL

(Contd. of page 9)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

#### · purity requirement

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: Abteilung Produktsicherheit

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2

Skin Irrit. 2: Skin corrosion/irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

\* Data compared to the previous version altered.

### Annex: Exposure scenario 1

- · Short title of the exposure scenario Industrial use of lubricants and greases in open systems
- · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

- Product category PC24 Lubricants, greases, release products
- · Process category

Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC7 Industrial spraying

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC10 Roller application or brushing

PROC13 Treatment of articles by dipping and pouring

#### · Environmental release category

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

(Contd. on page 11)

MOTOREX\*
Oil of Switzerland
Revision: 09.05,2023

Printing date 09.05.2023

Version number 3.1 (replaces version 3.0)

Trade name: RACING BIO AIR FILTER OIL

(Contd. of page 10)

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- Technical protective measures No special measures required.
- Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

- · Disposal procedures Dispose of product residues with household waste.
- Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

## Annex: Exposure scenario 2

- · Short title of the exposure scenario Professional use of lubricants and greases in open systems
- · Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Product category PC24 Lubricants, greases, release products
- · Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC10 Roller application or brushing

PROC11 Non industrial spraying

PROC13 Treatment of articles by dipping and pouring

· Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.

(Contd. on page 12)

MOTOREX\*
Oil of Switzerland

Revision: 09.05,2023

Printing date 09.05.2023

Version number 3.1 (replaces version 3.0)

Trade name: RACING BIO AIR FILTER OIL

(Contd. of page 11)

- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- Guidance for downstream users No further relevant information available.

## Annex: Exposure scenario 3

- · Short title of the exposure scenario Private use of lubricants and greases in open systems
- · Sector of Use SU21 Consumer uses: Private households / general public / consumers
- · Product category PC24 Lubricants, greases, release products
- Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- Personal protective measures No special measures required.
- Measures for consumer protection No special measures required.
- · Environmental protection measures
- Air No special measures required.
- · Water No special measures required.
- Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging

(Contd. on page 13)



Printing date 09.05.2023

Version number 3.1 (replaces version 3.0)

Trade name: RACING BIO AIR FILTER OIL

(Contd. of page 12)

- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario. · Guidance for downstream users No further relevant information available.