

# Safety data sheet according to (EU) 2015/830

Printing date 17.11.2015

#### Version number 1

Revision: 17.11.2015

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### · 1.1 Product identifier

- · Trade name: CROSS POWER 4T SAE 10W/50
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture Engine oil Only for proper handling.
- 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier:

BUCHER AG LANGENTHAL MOTOREX–Schmiertechnik Bern–Zürich–Strasse 31 CH–4901 Langenthal Telefon +41 (0)62 919 75 75

· Only representative in EU:

MOTOREX Deutschland AG, Bismarckstrasse 28, D-69198 Schriesheim

 Further information obtainable from: <u>msds@motorex.com</u>
 1.4 Emergency telephone number: Toxicological Information Centre, CH-8028 Zurich, info@toxi.ch,

T. +41 (0) 44 251 51 51

#### **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
   Classification according to Regulation (EC) No 1272/2008
   Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
   2.2 Label elements
   Labelling according to Regulation (EC) No 1272/2008
   The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements
- H412 Harmful to aquatic life with long lasting effects.
- Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P273 Avoid release to the environment.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Additional information:
- Contains Ca long-chain alkaryl sulfonate. May produce an allergic reaction.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)

GB

according to (EU) 2015/830

Printing date 17.11.2015

#### Version number 1

Revision: 17.11.2015

#### Trade name: CROSS POWER 4T SAE 10W/50

(Contd. of page 1)

#### SECTION 3: Composition/information on ingredients

#### · 3.2 Chemical characterisation: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

	Phosphorodithioic acid, 0,0-di-C1-14-alkyl esters, zinc salts	1-2.5%
	🤣 Eye Dam. 1, H318; 🚯 Aquatic Chronic 2, H411; 🚸 Skin Irrit. 2, H315	5
	Alkyl phenol	0.25-1%
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; (1) Skin Irrit. 2, H315	
Polymer	Ca long-chain alkaryl sulfonate	0.25-1%
-	() Skin Sens. 1, H317	

#### SECTION 4: First aid measures

· 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Remove residues with soap and water.
- Remove contaminated clothing immediately.
- After eye contact: Rinse opened eye for several minutes under running water.
- Consult a physician if irritation develops.
- After swallowing: Do not induce vomitting. Do not take in resorption stimulating agents.
   Consult a physician who will decide on need and method of emptying the stomach.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture
- In case of fire carbon, sulphur and nitrogen oxides can be formed.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- 6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

GB

according to (EU) 2015/830

Printing date 17.11.2015

Version number 1

Revision: 17.11.2015

#### Trade name: CROSS POWER 4T SAE 10W/50

(Contd. of page 2) • **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Used oils (motor oils, gear oils, industrial oils) contain components causing skin cancer. Therefore, avoid skin contact by wearing protecting gloves. Carefully clean soiled parts of the skin with soap.

- · Information about fire and explosion protection: Do not heat above flash point.
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Store containers closed and protect against rain, dust, heat and other atmospheric influences.
- · Storage class: 10
- 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

GB

according to (EU) 2015/830

Printing date 17.11.2015

Version number 1

Revision: 17.11.2015

(Contd. of page 3)

#### Trade name: CROSS POWER 4T SAE 10W/50

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

#### SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties			
· General Information			
· Appearance: Form:	Fluid		
Colour:	Yellow - Brown		
· Odour:	Characteristic		
· Odour threshold:	Not determined.		
· pH-value:	Not determined.		
· Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	Undetermined.		
· Flash point:	> 200 °C		
· Flammability (solid, gaseous):	Not applicable.		
· Ignition temperature:	255 °C (DIN 51794)		
· Decomposition temperature:	Not determined.		
· Self-igniting:	Product is not selfigniting.		
· Danger of explosion:	Product does not present an explosion hazard.		
· Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
· Vapour pressure:	Not determined.		
· Density at 20 °C:	0.86 g/cm³ (ASTM D 4052)		
· Relative density	Not determined.		
· Vapour density	Not determined.		
<ul> <li>Evaporation rate</li> </ul>	Not determined.		
<ul> <li>Solubility in / Miscibility with</li> </ul>			
water:	Not miscible or difficult to mix.		
· Partition coefficient (n-octanol/wat	t <b>er):</b> Not determined.		
· Viscosity:			
Dynamic:	Not determined.		
Kinematic:	116 mm²/s @ 40 °C (DIN 51562-1)		
VOC (EC)	0.00 %		
9.2 Other information	No further relevant information available.		

#### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 5)

- GB

according to (EU) 2015/830

Printing date 17.11.2015

Version number 1

Revision: 17.11.2015

#### Trade name: CROSS POWER 4T SAE 10W/50

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met. • Serious eye damage/irritation
- Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation
- Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-classification according VwVwS, 17.05.1999): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)

GE

(Contd. of page 4)

according to (EU) 2015/830

Printing date 17.11.2015

Version number 1

Revision: 17.11.2015

#### Trade name: CROSS POWER 4T SAE 10W/50

(Contd. of page 5)

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

13 02 06\* synthetic engine, gear and lubricating oils

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR,ADN, ADN, IMDG, IATA	Void	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR,ADN, ADN, IMDG, IATA</li> </ul>	Void	
<ul> <li>14.3 Transport hazard class(es)</li> </ul>		
· ADR,ADN, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR,ADN, IMDG, IATA	Void	
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Transport in bulk according to Ani II of Marpol and the IBC Code</li> </ul>	nex Not applicable.	
· UN "Model Regulation":	Void	

#### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National chemical directories
   Components listed or exempted from listing:
   TSCA (USA)
   ENCS/METI (J)
   AICS (Aus)
   IECSC (CN)
   ECL/KECI (KOR)
   HSNO (NZ)
   PICCS (RP)
   DSL/NDSL (CDN)
   EINECS/ELINCS/NLP (EU)

(Contd. on page 7)

age /) — GB

# Safety data sheet according to (EU) 2015/830

Printing date 17.11.2015

Version number 1

Revision: 17.11.2015

#### Trade name: CROSS POWER 4T SAE 10W/50

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

· Department issuing MSDS: Abteilung Produktsicherheit

#### · Abbreviations and acronyms:

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 (Contd. of page 6)