

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 03.11.2014

Version number 1

Revision: 03.11.2014

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

· **1.1 Product identifier**

· **Trade name:** *MOTO FORK OIL SAE 10W/30*

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
*No further relevant information available.*

· **Application of the substance / the mixture**

*Only for proper handling.  
Fork oil*

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

*BUCHER AG LANGENTHAL  
MOTOREX-Schmiertechnik  
Bern-Zürich-Strasse 31  
CH-4901 Langenthal  
Telefon +41 (0)62 919 75 75*

· **Only representative in EU:**

*MOTOREX Deutschland AG, Bismarckstrasse 28, D-69198 Schriesheim*

· **Further information obtainable from:** *[msds@motorex.com](mailto:msds@motorex.com)*

· **1.4 Emergency telephone number:**

*Toxicological Information Centre, CH-8028 Zurich,  
[info@toxi.ch](mailto:info@toxi.ch),  
T. +41 (0) 44 251 51 51*

**SECTION 2: Hazards identification**

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

*The product is not classified according to the CLP regulation.*

· **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

*Not applicable.*

· **Information concerning particular hazards for human and environment:**

*The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.*

· **Classification system:**

*The classification is according to the latest editions of the EU-lists, and extended by company and literature data.*

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008** *Void*

· **Hazard pictograms** *Void*

· **Signal word** *Void*

· **Hazard statements** *Void*

· **Additional information:**

*Safety data sheet available on request.*

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** *Not applicable.*

· **vPvB:** *Not applicable.*

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 03.11.2014

Version number 1

Revision: 03.11.2014

Trade name: **MOTO FORK OIL SAE 10W/30**

(Contd. of page 1)

### SECTION 3: Composition/information on ingredients

· **3.2 Chemical characterization: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 64742-54-7 EINECS: 265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic ⚠ Asp. Tox. 1, H304	50-100%
Polymer	2-Propenoic acid, 2-methyl-, dodecyl ester, polymer with eicosyl 2-methyl-2-propenoate, hexadecyl 2-methyl-2-propenoate, methyl-2-methyl-2-propenoate, octadecyl 2-methyl-2-propenoate, pentadecyl 2-met ⚠ Eye Irrit. 2, H319	5-10%
CAS: 4259-15-8 EINECS: 224-235-5	zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) ⚠ Xi R41; ⚠ N R51/53 ⚠ Eye Dam. 1, H318; ⚠ Aquatic Chronic 2, H411	0.25-1%
CAS: 128-39-2 EINECS: 204-884-0	2,6-di-tert-butylphenol ⚠ Xi R38; ⚠ N R50/53 ⚠ Aquatic Acute 1, H400; ⚠ Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315	0.1-0.25%

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

### SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information:** No special measures required.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Remove residues with soap and water.

Remove contaminated clothing immediately.

· **After eye contact:** Rinse opened eye for several minutes under running water.

· **After swallowing:**

Do not induce vomiting. Do not take in resorption stimulating agents.

Consult a physician who will decide on need and method of emptying the stomach.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

Use fire extinguishing methods suitable to surrounding conditions.

· **For safety reasons unsuitable extinguishing agents: DO NOT USE WATER JET**

· **5.2 Special hazards arising from the substance or mixture**

In case of fire carbon, sulphur and nitrogen oxides can be formed.

· **5.3 Advice for firefighters**

· **Protective equipment:** No special measures required.

GB

(Contd. on page 3)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 03.11.2014

Version number 1

Revision: 03.11.2014

**Trade name: MOTO FORK OIL SAE 10W/30**

(Contd. of page 2)

#### **SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Not required.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** No special measures required.
- **Information about fire - and explosion protection:** Do not heat above flash point.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Store containers closed and protect against rain, dust, heat and other atmospheric influences.
- **Storage class:** 10
- **7.3 Specific end use(s)** No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures are to be adhered to when handling chemicals.
- **Respiratory protection:** Not required.
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**

(Contd. on page 4)

GB

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 03.11.2014

Version number 1

Revision: 03.11.2014

**Trade name: MOTO FORK OIL SAE 10W/30**

(Contd. of page 3)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Goggles recommended during refilling

### SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

<b>Form:</b>	Fluid
<b>Colour:</b>	Yellowish
<b>Odour:</b>	weak
<b>Odour threshold:</b>	Not determined.

- **pH-value:** Not determined.

- **Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	Undetermined.

- **Flash point:** > 200 °C

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:**

<b>Decomposition temperature:</b>	Not determined.
-----------------------------------	-----------------

- **Self-igniting:** Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

<b>Lower:</b>	0.9 Vol %
<b>Upper:</b>	7.0 Vol %

- **Vapour pressure:** Not determined.

- **Density at 20 °C:** 0.875 g/cm<sup>3</sup> (ASTM D 4052)

- **Relative density** Not determined.

- **Vapour density** Not determined.

- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with water:**

Not miscible or difficult to mix.

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	68 mm <sup>2</sup> /s @ 40 °C (DIN 51562-1)
<b>VOC (EC)</b>	0.01 %

- **9.2 Other information**

No further relevant information available.

GB

(Contd. on page 5)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 03.11.2014

Version number 1

Revision: 03.11.2014

<b>Trade name: MOTO FORK OIL SAE 10W/30</b>
---

(Contd. of page 4)

#### SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

#### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.  
When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

#### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-classification according VwVwS, 17.05.1999): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

#### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Smaller quantities can be disposed of with household waste.

· <b>European waste catalogue</b>
-----------------------------------

13 01 10*	mineral based non-chlorinated hydraulic oils
-----------	--

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 03.11.2014

Version number 1

Revision: 03.11.2014

Trade name: **MOTO FORK OIL SAE 10W/30**

(Contd. of page 5)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- |   |                 |
|---|-----------------|
| · <b>14.1 UN-Number</b><br>· <b>ADR, ADN, IMDG, IATA</b>                                    | Void            |
| · <b>14.2 UN proper shipping name</b><br>· <b>ADR, ADN, IMDG, IATA</b>                      | Void            |
| · <b>14.3 Transport hazard class(es)</b><br>· <b>ADR, ADN, IMDG, IATA</b><br>· <b>Class</b> | Void            |
| · <b>14.4 Packing group</b><br>· <b>ADR, IMDG, IATA</b>                                     | Void            |
| · <b>14.5 Environmental hazards:</b><br>· <b>Marine pollutant:</b>                          | No              |
| · <b>14.6 Special precautions for user</b>  | Not applicable. |
| · <b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>       | Not applicable. |
| · <b>UN "Model Regulation":</b>   | -               |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National chemical directories**  
Components listed or exempted from listing:  
EINECS/ELINCS/NLP (EU)  
TSCA (USA)  
DSL/NDSL (CDN)  
ENCS/METI (J)  
AICS (Aus)  
IECSC (CN)  
ECL/KECI (KOR)  
HSNO (NZ)  
PICCS (RP)
- **15.2 Chemical safety assessment:**  
A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H304 May be fatal if swallowed and enters airways.

(Contd. on page 7)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 03.11.2014

Version number 1

Revision: 03.11.2014

**Trade name: MOTO FORK OIL SAE 10W/30**

(Contd. of page 6)

*H315 Causes skin irritation.**H318 Causes serious eye damage.**H319 Causes serious eye irritation.**H400 Very toxic to aquatic life.**H410 Very toxic to aquatic life with long lasting effects.**H411 Toxic to aquatic life with long lasting effects.**R38 Irritating to skin.**R41 Risk of serious damage to eyes.**R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.**R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.*

- **Department issuing MSDS:** Abteilung Produktsicherheit

- **Abbreviations and acronyms:**

*Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2**Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1**Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2**Asp. Tox. 1: Aspiration hazard, Hazard Category 1**Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1**Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1**Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2*

GB