

according to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 1

Revision: 02.06.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: POWER SYNT 4T SAE 10W/60

- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture Engine oil Only for proper handling.
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier:

BUCHER AG LANGENTHAL MOTOREX–Schmiertechnik Bern–Zürich–Strasse 31 CH–4901 Langenthal Telefon +41 (0)62 919 75 75

· Only representative in EU:

MOTOREX Deutschland AG, Bismarckstrasse 28, D-69198 Schriesheim

 Further information obtainable from: <u>msds@motorex.com</u>
 1.4 Emergency telephone number: Toxicological Information Centre, CH-8028 Zurich, info@toxi.ch,

T. +41 (0) 44 251 51 51

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements
- H412 Harmful to aquatic life with long lasting effects.
- · Precautionary statements
- P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• Additional information: Contains Benzenesulfonic acid, mono-C20-24-alkyl derivs., calcium salts. May produce an allergic reaction.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

(Contd. on page 2)

GB

^{· 2.2} Label elements

according to 1907/2006/EC, Article 31 Version number 1

Revision: 02.06.2015

Trade name: POWER SYNT 4T SAE 10W/60

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64742-54-7 EINECS: 265-157-1 Reg.nr.: 01-2119484627-25	Distillates (petroleum), hydrotreated heavy paraffinic	5-10%
CAS: 84605-29-8 EINECS: 283-392-8 Reg.nr.: 01-2119493626-26	Phosphorodithioic acid, mixed O,O-bis (1,3- diethylbutyl and iso-Pr)esters, zinc salts Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Irrit. 2, H315	1-2.5%
CAS: 70024-69-0 EINECS: 274-263-7 Reg.nr.: 01-2119492616-28	Benzenesulfonic acid, mono-C20-24-alkyl derivs., calcium salts	0.25-1%
CAS: 121158-58-5 EC number: 310-154-3	p-Dodecylphenol Repr. 2, H361; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Aquatic Skin Irrit. 2, H315; Eye Irrit. 2, H319	0.1-0.25%

· Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Remove residues with soap and water. Remove contaminated clothing immediately.
- · After eye contact:
 - Rinse opened eye for several minutes under running water.
 - Consult a physician if irritation develops.
- After swallowing: Do not induce vomitting. Do not take in resorption stimulating agents.

Consult a physician who will decide on need and method of emptying the stomach.

- A.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

 \cdot 5.2 Special hazards arising from the substance or mixture

In case of fire carbon, sulphur and phosphorus oxides can be formed.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

Printing date 02.06.2015

according to 1907/2006/EC, Article 31 Version number 1

Revision: 02.06.2015

Trade name: POWER SYNT 4T SAE 10W/60

Printing date 02.06.2015

(Contd. of page 2)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
 No dangerous substances are released.
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- Used oils (motor oils, gear oils, industrial oils) contain components causing skin cancer. Therefore, avoid skin contact by wearing protecting gloves. Carefully clean soiled parts of the skin with soap.
- · Information about fire and explosion protection: Do not heat above flash point.
- 7.2 Conditions for safe storage, including any incompatibilities
 Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store containers closed and protect against rain, dust, heat and other atmospheric influences.
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 1

Revision: 02.06.2015

Trade name: POWER SYNT 4T SAE 10W/60

(Contd. of page 3) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

9.1 Information on basic physical a General Information	ana cnemical properties
Appearance:	
Form:	Fluid
Colour:	Dark yellow
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	> 200 °C
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	255 °C (DIN 51794)
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	< 0.1 hPa (20 °C)
Density at 20 °C:	0.863 g/cm³ (ASTM D 4052)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic: VOC (EC)	168.3 mm²/s @ 40 °C (DIN 51562-1) 0.00 %

according to 1907/2006/EC, Article 31 Version number 1

Revision: 02.06.2015

Trade name: POWER SYNT 4T SAE 10W/60

(Contd. of page 4)

9.2 Other information

Printing date 02.06.2015

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitisation: No sensitising effects known.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-classification according VwVwS, 17.05.1999): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

GB

according to 1907/2006/EC, Article 31 Version number 1

Revision: 02.06.2015

Trade name: POWER SYNT 4T SAE 10W/60

· European waste catalogue

13 02 06* synthetic engine, gear and lubricating oils

· Uncleaned packaging:

Printing date 02.06.2015

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informati	on
· 14.1 UN-Number · ADR,ADN, ADN, IMDG, IATA	Void
 · 14.2 UN proper shipping name · ADR, ADN, ADN, IMDG, IATA 	Void
· 14.3 Transport hazard class(es)	
· ADR,ADN, ADN, IMDG, IATA · Class	Void
 14.4 Packing group ADR, ADN, IMDG, IATA 	Void
 · 14.5 Environmental hazards: · Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Transport in bulk according to Ann II of MARPOL73/78 and the IBC Code 	ex Not applicable.
· UN "Model Regulation":	-

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National chemical directories
 Components listed or exempted from listing:
 EINECS/ELINCS/NLP (EU)
 TSCA (USA)
 DSL/NDSL (CDN)
 ENCS/METI (J)
 AICS (Aus)
 IECSC (CN)
 ECL/KECI (KOR)
 HSNO (NZ)
 PICCS (RP)

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7) GB

(Contd. of page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2015

Version number 1

Revision: 02.06.2015

Trade name: POWER SYNT 4T SAE 10W/60

	(Contd. of page 6)
Relevant phrases	
H304 May be fatal if swallowed and enters airways.	
H315 Causes skin irritation.	
H317 May cause an allergic skin reaction.	
H318 Causes serious eye damage.	
H319 Causes serious eye irritation.	
H361 Suspected of damaging fertility or the unborn child.	
H400 Very toxic to aquatic life.	
H410 Very toxic to aquatic life with long lasting effects.	
H411 Toxic to aquatic life with long lasting effects.	
Department issuing MSDS: Abteilung Produktsicherheit	
Abbreviations and acronyms:	
Skin Irrit. 2: Skin corrosion/irritation. Hazard Category 2	
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1	
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2	
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1	
Repr. 2: Reproductive toxicity, Hazard Category 2	
Asp. Tox. 1: Aspiration hazard, Hazard Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2	
Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3	
	GB