

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: RACING FORK OIL 4W**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture**  
Only for proper handling.  
Fork oil
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
BUCHER\_AG\_LANGENTHAL  
MOTOREX-Schmiertechnik  
Bern-Zürich-Strasse\_31\_\_  
CH-4901\_Langenthal\_\_  
Telefon\_+41\_(0)62\_919\_75\_75
- **Only representative in EU:**  
MOTOREX Deutschland AG, Bismarckstrasse 28, D-69198 Schriesheim
- **Further information obtainable from: [msds@motorex.com](mailto:msds@motorex.com)**
- **1.4 Emergency telephone number:**  
Toxicological Information Centre, CH-8028 Zurich,  
[info@toxi.ch](mailto:info@toxi.ch),  
T. +41 (0) 44 251 51 51

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS08

- **Signal word** Danger
- **Hazard-determining components of labelling:**  
Distillates (petroleum), hydrotreated light naphthenic  
Distillates (petroleum), hydrotreated light naphthenic
- **Hazard statements**  
H304 May be fatal if swallowed and enters airways.
- **Precautionary statements**  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

(Contd. on page 2)

## Safety data sheet according to (EU) 2015/830

Printing date 23.05.2016

Version number 1

Revision: 23.05.2016

Trade name: RACING FORK OIL 4W

(Contd. of page 1)

- P331 Do NOT induce vomiting.  
 P405 Store locked up.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 64742-53-6 EINECS: 265-156-6 Reg.nr.: 01-2119480375-34	Distillates (petroleum), hydrotreated light naphthenic Asp. Tox. 1, H304	25-50%
CAS: 64742-53-6 EINECS: 265-156-6 Reg.nr.: 01-2119480375-34	Distillates (petroleum), hydrotreated light naphthenic Asp. Tox. 1, H304	25-50%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Remove residues with soap and water.  
Remove contaminated clothing immediately.
- **After eye contact:**  
Rinse opened eye for several minutes under running water.  
Consult a physician if irritation develops.
- **After swallowing:**  
Do not induce vomiting. Do not take in resorption stimulating agents.  
Consult a physician who will decide on need and method of emptying the stomach.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**  
In case of fire carbon, sulphur and nitrogen oxides can be formed.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

GB

(Contd. on page 3)

## Safety data sheet according to (EU) 2015/830

Printing date 23.05.2016

Version number 1

Revision: 23.05.2016

Trade name: RACING FORK OIL 4W

(Contd. of page 2)

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Not required.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Used oils (motor oils, gear oils, industrial oils) contain components causing skin cancer. Therefore, avoid skin contact by wearing protecting gloves. Carefully clean soiled parts of the skin with soap.
- **Information about fire - and explosion protection:** Do not heat above flash point.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Store containers closed and protect against rain, dust, heat and other atmospheric influences.  
Keep container tightly sealed.
- **Storage class:** 10
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

GB

## Safety data sheet according to (EU) 2015/830

Printing date 23.05.2016

Version number 1

Revision: 23.05.2016

**Trade name: RACING FORK OIL 4W**

(Contd. of page 3)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Goggles recommended during refilling

### SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

**Form:** Fluid

**Colour:** Red

- **Odour:** Characteristic

- **Odour threshold:** Not determined.

- **pH-value:** Not determined.

- **Change in condition**

**Melting point/Melting range:** Undetermined.

**Boiling point/Boiling range:** Undetermined.

- **Flash point:** 120 °C

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:** > 270 °C (DIN 51794)

- **Decomposition temperature:** Not determined.

- **Self-igniting:** Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

**Lower:** Not determined.

**Upper:** Not determined.

- **Vapour pressure at 20 °C:** 1.6 hPa

- **Density at 20 °C:** 0.881 g/cm<sup>3</sup> (ASTM D 4052)

- **Relative density** Not determined.

- **Vapour density** Not determined.

- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with water:**

Not miscible or difficult to mix.

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

**Dynamic:** Not determined.

**Kinematic at 40 °C:** 15.9 mm<sup>2</sup>/s (DIN 51562-1)

(Contd. on page 5)

## Safety data sheet according to (EU) 2015/830

Printing date 23.05.2016

Version number 1

Revision: 23.05.2016

Trade name: RACING FORK OIL 4W

(Contd. of page 4)

**· 9.2 Other information**

No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**  
Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation**  
Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard**  
May be fatal if swallowed and enters airways.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-classification according VwVwS, 17.05.1999): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

GB

(Contd. on page 6)

## Safety data sheet according to (EU) 2015/830

Printing date 23.05.2016

Version number 1

Revision: 23.05.2016

Trade name: RACING FORK OIL 4W

(Contd. of page 5)

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· <b>European waste catalogue</b>	
13 01 10*	mineral based non-chlorinated hydraulic oils

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- |   |                 |
|---|-----------------|
| · <b>14.1 UN-Number</b><br>· <b>ADR,ADN, ADN, IMDG, IATA</b>                                    | Void            |
| · <b>14.2 UN proper shipping name</b><br>· <b>ADR,ADN, ADN, IMDG, IATA</b>                      | Void            |
| · <b>14.3 Transport hazard class(es)</b><br>· <b>ADR,ADN, ADN, IMDG, IATA</b><br>· <b>Class</b> | Void            |
| · <b>14.4 Packing group</b><br>· <b>ADR,ADN, IMDG, IATA</b>                                     | Void            |
| · <b>14.5 Environmental hazards:</b><br>· <b>Marine pollutant:</b>                              | No              |
| · <b>14.6 Special precautions for user</b>  | Not applicable. |
| · <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>                | Not applicable. |
| · <b>UN "Model Regulation":</b>   | Void            |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **15.2 Chemical safety assessment:**  
A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

GB

**Safety data sheet**  
**according to (EU) 2015/830**

Printing date 23.05.2016

Version number 1

Revision: 23.05.2016

**Trade name: RACING FORK OIL 4W**

(Contd. of page 6)

**· Relevant phrases***H304 May be fatal if swallowed and enters airways.***· Department issuing SDS: Abteilung Produktsicherheit****· Abbreviations and acronyms:***Asp. Tox. 1: Aspiration hazard – Category 1*

GB