Printing date 24.11.2022



Version number 1.1 (replaces version 1.0)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: V-SYNT 4T 15W/50
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture Engine oil Only for proper handling.
- · 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier:

MOTOREX AG Bern–Zürich–Strasse 31, Postfach CH–4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

· Further information obtainable from: msds@motorex.com

· 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components: 		
	Mineral oils (mixture) Asp. Tox. 1, H304	≥1-≤7.5%
CAS: 64742-54-7 EINECS: 265-157-1 Index number: 649-467-00-8 Reg.nr.: 01-2119484627-25	Distillates (petroleum), hydrotreated heavy paraffinic Asp. Tox. 1, H304	≥2.5-≤3%
CAS: 36878-20-3 EINECS: 253-249-4 Reg.nr.: 01-2119488911-28	Reaction products of Benzeneamine, N-phenyl- with nonene (branched) Aquatic Chronic 4, H413	≥0.25-≤2.5%

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346.

GB

Version number 1.1 (replaces version 1.0)



Trade name: V-SYNT 4T 15W/50

Printing date 24.11.2022

For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 1)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. • 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

- . 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special measures required.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- The recommended storage temperature is (deg.C): ≤50°C
- Storage class: 10
- 7.3 Specific end use(s) No further relevant information available.

– GB

(Contd. on page 3)

Version number 1.1 (replaces version 1.0)



Trade name: V-SYNT 4T 15W/50

Printing date 24.11.2022

		(Contd. of page
SECTION 8: Exposure controls/personal pr	otection	1
8.1 Control parameters		
Ingredients with limit values that require monitoring The product does not contain any relevant quantities of		
monitored at the workplace.	materials	with childer values that have to
DNELs		
36878-20-3 Reaction products of Benzeneamine, N-	henvl- w	ith nonene (branched)
Oral DNEL/general population/Systemic effects/Long	-	
Dermal DNEL / Workers / Systemic effects / Long-term		ng/kg/24h (worker)
DNEL/general population/Systemic effects/Long		
	<i>j-lenn</i> 2.3	Sing/kg/24ii (consumer)
PNECs 36878-20-3 Reaction products of Benzeneamine, N-	honyl w	ith papapa (branchad)
	-	
PNEC / Aquatic organisms / Freshwater		aquatic organisms)
PNEC / Aquatic organisms / Marine water	0	(aquatic organisms)
PNEC/Aquatic org/intermittent releases(freshwater)	- ·	quatic organisms)
PNEC/Aquatic organisms/Sewage treatment plant/STP		quatic organisms)
PNEC / Aquatic organisms / Sediment (freshwater)		mg/kg (aquatic organisms)
PNEC / Aquatic organisms / Sediment (marine water)		g/kg (aquatic organisms)
PNEC / Terrestrial organism / Soil	263,000 i	mg/kg (terrestrial organisms)
Additional information: The lists valid during the making	ng were u	sed as basis.
Individual protection measures, such as personal pa General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Respiratory protection: Not necessary if room is well-ventilated. Respiratory protection if formation of aerosol or mist: us Hand protection	e mask wi	th filter type A2, A2/P2 or ABEK.
The glove material has to be impermeable and respreparation.		-
Selection of the glove material on consideration of the degradation <i>Material of gloves</i>	penetrallo	יוי נווויפג, רמנפג טו טווועגוטוו מחס נ
The selection of the suitable gloves does not only depe of quality and varies from manufacturer to manufacture	r. As the	product is a preparation of seven
substances, the resistance of the glove material can no to be checked prior to the application. Penetration time of glove material		
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the has to be observed.		cturer of the protective gloves a
to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by th		cturer of the protective gloves a

Printing date 24.11.2022

Version number 1.1 (replaces version 1.0)

IV Revision: 24.11.2022

(Contd. of page 3)

Trade name: V-SYNT 4T 15W/50

al properties Fluid yellow brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined.
Fluid yellow brown Characteristic Not determined. Undetermined. Undetermined. Not applicable.
yellow brown Characteristic Not determined. Undetermined. Undetermined. Not applicable.
yellow brown Characteristic Not determined. Undetermined. Undetermined. Not applicable.
Characteristic Not determined. Undetermined. Undetermined. Not applicable.
Not determined. Undetermined. Undetermined. Not applicable.
Undetermined. Undetermined. Not applicable.
Undetermined. Not applicable.
Not applicable.
Not applicable.
Not determined
Not determined.
>200 °C
Not determined.
Not determined.
141 mm²/s @ 40 °C
-
Not determined.
Not miscible or difficult to mix.
Not determined.
Not determined.
0.869 g/cm³ (ASTM D 4052)
Not determined.
Not determined.
Fluid
Product does not present an explosion hazard.
0.00 %
Not determined.
Void

Printing date 24.11.2022

Version number 1.1 (replaces version 1.0)



Trade name: V-SYNT 4T 15W/50

		(Contd. of page 4)
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

 \cdot 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity

· LD/LC50 values relevant for classification:

		es (petroleum), hydrotreated heavy paraffinic
Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOAEL	150 mg/kg/24h (mouse)
		30-2,000 mg/kg/24h (rat)
		1,000 mg/kg/24h (rabbit)
	LOAEL	100 mg/kg/24h (mouse)
Inhalative	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOEL	220 mg/m3 (rat)
	NOAEL	980 mg/m3 (rat)
36878-20-	3 Reactior	n products of Benzeneamine, N-phenyl- with nonene (branched)
Oral	LD50	5,000 mg/kg (rat)
	NOEL	100 mg/kg/24h (rat)
Dermal	LD50	2,000 mg/kg (rat)
11.2 Infor	mation on	other hazards
Endocrin	e disruptin	g properties
None of th	ne ingredier	ts is listed.

(Contd. on page 6)

Printing date 24.11.2022 Ve

Version number 1.1 (replaces version 1.0)



Trade name: V-SYNT 4T 15W/50

(Contd. of page 5)

Aquati	ic toxicity:			
64742-	-54-7 Distillates (petroleum), hydrotreated heavy paraffinic			
LL50	10,000 mg/l/96h (aquatic invertebrates)			
	100 mg/l/96h (fish)			
LL50	10,000 mg/l/72h (aquatic invertebrates)			
LL50	10,000 mg/l/48h (aquatic invertebrates)			
LL50	10,000 mg/l/24h (aquatic invertebrates)			
EL50	10,000 mg/l/48h (aquatic invertebrates)			
	-20-3 Reaction products of Benzeneamine, N-phenyl- with nonene (branched)			
LC50	100 mg/l/96h (fish)			
LC0	58 mg/l/96h (fish)			
	100 mg/l/96h (fish)			
EC50	100 mg/l/24h (aquatic invertebrates)			
EC50	870 mg/l/96h (algae / cyanobacteria)			
EC50	100-600 mg/l/72h (algae / cyanobacteria)			
EC50	100 mg/l/48h (aquatic invertebrates)			
	10-100 mg/l/72h (algae / cyanobacteria)			
	33 mg/l/96h (algae / cyanobacteria)			
	Persistence and degradability No further relevant information available.			
	lioaccumulative potential			
	-54-7 Distillates (petroleum), hydrotreated heavy paraffinic			
	on coefficient >6 [] (log Kow) (Bioaccumulation)			
	-20-3 Reaction products of Benzeneamine, N-phenyl- with nonene (branched)			
	on coefficient 7.5-11.7 [] (log Kow) (Bioaccumulation)			
-	gradability 1 % (28d) (Biodegradability) (OECD 301 B)			
	<i>lobility in soil</i> No further relevant information available. Results of PBT and vPvB assessment			
PBT: N	Not applicable.			
	Not applicable.			
	indocrine disrupting properties			
	oduct does not contain substances with endocrine disrupting properties. Other adverse effects			
	ional ecological information:			
	al notes: t allow undiluted product or large quantities of it to reach ground water, water co			

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

(Contd. on page 7)

GB -

Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.1 (replaces version 1.0)



(Contd. of page 6)

Trade name: V-SYNT 4T 15W/50

Printing date 24.11.2022

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number		
· ADR/RID/ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR/RID/ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk accordin IMO instruments 	ng to Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

· purity requirement

· Relevant phrases

H304 May be fatal if swallowed and enters airways. H413 May cause long lasting harmful effects to aquatic life.

- · Department issuing SDS: Abteilung Produktsicherheit
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 8)

GB

Printing date 24.11.2022

Version number 1.1 (replaces version 1.0)



Trade name: V-SYNT 4T 15W/50

(Contd. of page 7)

DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

• * Data compared to the previous version altered.

Annex: Exposure scenario 1

Short title of the exposure scenario

- Industrial use of lubricants and greases in vehicles or machinery
- Sector of Use
- SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- Product category

PC16 Heat transfer fluids

PC17 Hydraulic fluids PC24 Lubricants, greases, release products

• Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

· Environmental release category

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article) ERC7 Use of functional fluid at industrial site

- **Description of the activities** / **processes covered in the Exposure Scenario** See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions

• Other operational conditions affecting environmental exposure No special measures required.

- Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures

· Worker protection

· Organisational protective measures No special measures required.

Technical protective measures No special measures required.

- · Personal protective measures No special measures required.
- Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

· **Disposal procedures** Dispose of product residues with household waste.

• Waste type Partially emptied and uncleaned packaging

(Contd. on page 9)

⁻ GB

Version number 1.1 (replaces version 1.0)



(Contd. of page 8)

Trade name: V-SYNT 4T 15W/50

· Exposure estimation

Printing date 24.11.2022

- **Consumer** Not relevant for this Exposure Scenario.
- Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 2

· Short title of the exposure scenario
Professional use of lubricants and greases in vehicles or machines
Sector of Use
SU22 Professional uses: Public domain (administration, education, entertainment, services,
craftsmen)
Product category
PC16 Heat transfer fluids
PC17 Hydraulic fluids
PC24 Lubricants, greases, release products
Process category
PROC1 Chemical production or refinery in closed process without likelihood of exposure or
processes with equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b Transfer of substance or mixture (charging and discharging) at holi-dedicated facilities
PROC20 Use of functional fluids in small devices
· Environmental release category
ERC9a Widespread use of functional fluid (indoor)
ERC9b Widespread use of functional fluid (outdoor)
· Description of the activities / processes covered in the Exposure Scenario
See section 1 of the annex to the Safety Data Sheet.
· Conditions of use
· Duration and frequency 5 workdays/week.
· Physical parameters
· Physical state Fluid
• Concentration of the substance in the mixture The substance is main component.
Other operational conditions
Other operational conditions affecting environmental exposure No special measures required.
Other operational conditions affecting consumer exposure Not required.
Other operational conditions affecting consumer exposure during the use of the product
Not applicable.
Risk management measures
· Worker protection
• Organisational protective measures No special measures required.
Technical protective measures No special measures required.
• Personal protective measures No special measures required.
 Measures for consumer protection No special measures required.
· Environmental protection measures
· Air No special measures required.
· Water No special measures required.
· Disposal measures
Disposal must be made according to official regulations.
Ensure that waste is collected and contained.
• Disposal procedures Dispose of product residues with household waste.
• Waste type Partially emptied and uncleaned packaging
Exposure estimation
Consumer Not relevant for this Exposure Scenario.
(Contd. on page 10)

(Contd. on page 10)

Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.1 (replaces version 1.0)



Trade name: V-SYNT 4T 15W/50

Printing date 24.11.2022

(Contd. of page 9) · Guidance for downstream users No further relevant information available. Annex: Exposure scenario 3 · Short title of the exposure scenario Private use of lubricants and greases in vehicles or machines · Sector of Use SU21 Consumer uses: Private households / general public / consumers · Product category PC24 Lubricants, greases, release products · Environmental release category ERC9a Widespread use of functional fluid (indoor) ERC9b Widespread use of functional fluid (outdoor) Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet. Conditions of use · Duration and frequency 5 workdays/week. Physical parameters · Physical state Fluid · Concentration of the substance in the mixture The substance is main component. · Other operational conditions · Other operational conditions affecting environmental exposure No special measures required. · Other operational conditions affecting consumer exposure Not required. · Other operational conditions affecting consumer exposure during the use of the product Not applicable. · Risk management measures · Worker protection · Organisational protective measures No special measures required. · Technical protective measures No special measures required. · Personal protective measures No special measures required. · Measures for consumer protection No special measures required. · Environmental protection measures · Air No special measures required. · Water No special measures required. · Disposal measures Disposal must be made according to official regulations. Ensure that waste is collected and contained. · Disposal procedures Dispose of product residues with household waste. · Waste type Partially emptied and uncleaned packaging · Exposure estimation · Consumer Not relevant for this Exposure Scenario. · Guidance for downstream users No further relevant information available.